AMENDED NO.618

# APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office JAN 29 1996
Returned to applicant for correction FEB 29 1996
Corrected application filed
Map filed MAR 15 1996 EXISTING POD UNDER 61877

\*\*\*\*\*

The applicant SOUTH MEADOWS PROPERTIES, A NEVADA LIMITED PARTNERSHIP, hereby make application for permission to change the POINT OF DIVERSION, PLACE OF USE AND MANNER OF USE of water heretofore appropriated under A PORTION OF CLAIMS #480, 481, 482 and 484 OF THE TRUCKEE RIVER DECREE, SAID DECREE ENTERED BY THE DISTRICT COURT OF THE UNITED STATES IN AND FOR THE DISTRICT OF NEVADA IN THAT CERTAIN ACTION ENTITLED "THE UNITED STATES OF AMERICA, PLANTIFF VS. ORR WATER DITCH COMPANY, ETAL DEFENDANTS," IN EQUITY DOCKET NO. A-3.

\*\*\*\*\*

- 1. The source of water is TRUCKEE RIVER
- 2. The amount of water to be changed 0.120 CFS 12.83 ACRE FEET ANNUALLY
- 3. The water to be used for MUNICIPAL AND DOMESTIC
- 4. The water heretofore permitted for AS DECREED
- 5. The water is to be diverted at the following point **SEE EXHIBIT**  $^{\bullet}A^{\bullet}$
- 6. The existing permitted point of diversion is located within NW1/4 SE1/4 SECTION 11, T19N, R19E, MDM OR AT A POINT FROM WHICH THE NORTHWEST CORNER OF SECTION 14, T19N, R19E MDM, BEARS S 69 DEGREES 15' W A DISTANCE OF 3640.00 FEET (COCHRAN DITCH)
- 7. Proposed place of use SEE EXHIBIT "B" AND SUPPORTING MAP FILED WITH THE APPLICATION SERIAL NO. 61742 ON FILE AT THE STATE ENGINEERS OFFICE.
- 8. Existing place of use 1.85 AC. IN SW1/4 NW1/4, 1.30 AC. IN NW1/4 SW1/4 SECTION 28 T19N, R20E, MDM AND 0.06 AC. IN SE1/4 SECTION 29, T19N, R20E MDM.
- 9. Use will be from AS DECREED to of each year.
- 10. Use was permitted from AS DECREED to of each year.
- 11. Description of proposed works WATER WILL BE DIVERTED BY EXISTING COMPANY FACILITIES, TREATED AND PLACED INTO EXISTING DISTRIBUTION SYSTEM.
- 12. Estimated cost of works EXISTING
- 13. Estimated time required to construct works EXISTING
- 14. Estimated time required to complete the application of water to beneficial use FIVE YEARS
- 15. Remarks:

By s/Michael D. Buschelman 5405 Mae Anne Avenue Reno, Nevada 89523

Compared jp/gkl cl/cms					
Protested					
*****					
APPROVAL OF STATE ENGINEER					
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:					
This permit to change the point of diversion, place of use and manner of use of a portion of the waters of the Truckee River as heretofore granted under Claim Nos. 480, 481, 482 and 484, Truckee River Final Decree is issued subject to the terms and conditions imposed in said decree and with the understanding that no other rights on the source will be affected by the change proposed herein. A suitable measuring device must be installed and accurate measurements of water placed to beneficial use must be kept.  This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.  The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.					
The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed <u>0.120</u> cubic feet per second, <u>but not to exceed 12.83 acre-feet as decreed.</u>					
Work must be prosecuted with reasonable diligence and be completed on or before:  N/A					
Proof of completion of work shall be filed before:  N/A					
Application of water to beneficial use shall be filed on or before: <a href="February 19">February 19</a> , 2002					
Proof of the application of water to beneficial use shall be filed on or before:  March 19, 2002					
Map in support of proof of beneficial use shall be filed on or before:  March 19, 2002					
IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E., State Engineer of Nevada, have hereunto set					
my hand and the seal of my office,					
this 19th day of February, A.D. 1997  State Engineer					
Completion of work filed N/A					
Proof of beneficial use filed FEB 2 5 2002					
Cultural map filed NAIVED					
Certificate No. 16038 Issued MAR 14 2002					

## EXHIBIT "B" PROPOSED PLACE OF USE

ALL 1-5 18 18 M.D.B.& M. E 1/2 6 & 7 18 18 18 M.D.B.& M. ALL 8-17 18 18 18 M.D.B.& M. ALL 20-29 18 18 18 M.D.B.& M. ALL 32-36 18 18 M.D.B.& M. ALL 32-36 18 18 M.D.B.& M. ALL 1-5 19 18 M.D.B.& M. E 1/2 6 & 7 19 18 M.D.B.& M. E 1/2 18 & 19 19 18 M.D.B.& M. E 1/2 18 & 19 19 18 M.D.B.& M. E 1/2 18 & 19 19 18 M.D.B.& M. E 1/2 18 & 19 19 18 M.D.B.& M. ALL 20-29 19 18 M.D.B.& M. ALL 20-29 19 18 M.D.B.& M. ALL 32-36 19 18 M.D.B.& M. E 1/2 18 & 19 20 18 M.D.B.& M. E 1/2 18 & 19 20 18 M.D.B.& M. E 1/2 18 & 19 20 18 M.D.B.& M. E 1/2 18 & 19 20 18 M.D.B.& M. ALL 20-29 20 18 M.D.B.& M. ALL 8-17 20 18 M.D.B.& M. E 1/2 18 & 19 20 18 M.D.B.& M. E 1/2 18 & 19 20 18 M.D.B.& M. ALL 32-36 20 18 M.D.B.& M. ALL 1-5 21 18 M.D.B.& M. ALL 32-36 20 19 M.D.B.& M. ALL 1-5 21 18 M.D.B.& M. ALL 32-36 20 19 M.D.B.& M. ALL 20-29 21 18 M.D.B.& M. ALL 32-36 21 18 M.D.B.& M. ALL 32-36 21 18 M.D.B.& M. ALL 32-36 31 21 19 M.D.B.& M. ALL 32-36 31 21 19 M.D.B.& M. ALL 32-35 31 20 M.D.B.& M. ALL 34-23 19 20 M.D.B.& M. ALL 1-36 31 39 M.D.B.& M. ALL 1-23 19 20 M.D.B.& M. ALL 26-35 19 M.D.B.& M.	DIVISION	SECTION	<u>T-N</u>	R-E	
E 1/2	E 1/2 ALL E 1/2 ALL E 1/2	6 & 7 8 - 17 18 & 19 20 - 29 30 & 31	18 18 18 18 18	18 18 18 18	M.D.B.& M. M.D.B.& M. M.D.B.& M. M.D.B.& M. M.D.B.& M.
E 1/2 6 & 7 20 18 M.D.B.& M.  ALL 8 - 17 20 18 M.D.B.& M.  E 1/2 18 & 19 20 18 M.D.B.& M.  ALL 20 - 29 20 18 M.D.B.& M.  E 1/2 30 & 31 20 18 M.D.B.& M.  ALL 32 - 36 20 18 M.D.B.& M.  E 1/2 6 & 7 21 18 M.D.B.& M.  E 1/2 6 & 7 21 18 M.D.B.& M.  E 1/2 6 & 7 21 18 M.D.B.& M.  E 1/2 18 & 19 21 18 M.D.B.& M.  E 1/2 18 & 19 21 18 M.D.B.& M.  E 1/2 18 & 19 21 18 M.D.B.& M.  E 1/2 18 & 19 21 18 M.D.B.& M.  ALL 20 - 29 21 18 M.D.B.& M.  E 1/2 30 & 31 21 18 M.D.B.& M.  ALL 20 - 36 21 18 M.D.B.& M.  ALL 1 - 36 18 19 M.D.B.& M.  ALL 1 - 36 19 M.D.B.& M.  ALL 1 - 36 20 M.D.B.& M.  ALL 1 - 36 18 20 M.D.B.& M.  ALL 1 - 36 20 M.D.B.& M.  ALL 1 - 36 18 20 M.D.B.& M.  ALL 2 - 35 18 20 M.D.B.& M.  ALL 2 - 35 18 20 M.D.B.& M.  ALL 2 - 35 18 20 M.D.B.& M.  ALL 1 - 12 19 20 M.D.B.& M.  ALL 1 - 23 19 20 M.D.B.& M.	E 1/2 ALL E 1/2 ALL E 1/2	6 & 7 8 - 17 18 & 19 20 - 29 30 & 31	19 19 19 19 19	18 18 18 18	M.D.B.& M. M.D.B.& M. M.D.B.& M. M.D.B.& M. M.D.B.& M.
E 1/2 6 & 7 21 18 M.D.B.& M.  ALL 8 - 17 21 18 M.D.B.& M.  E 1/2 18 & 19 21 18 M.D.B.& M.  ALL 20 - 29 21 18 M.D.B.& M.  E 1/2 30 & 31 21 18 M.D.B.& M.  ALL 32 - 36 21 18 M.D.B.& M.  ALL 1 - 36 18 19 M.D.B.& M.  ALL 1 - 36 19 19 M.D.B.& M.  ALL 1 - 36 20 19 M.D.B.& M.  ALL 1 - 36 21 19 M.D.B.& M.  ALL 2 - 35 18 20 M.D.B.& M.  W1/2 36 18 20 M.D.B.& M.  ALL 1 - 12 19 20 M.D.B.& M.  ALL 1 - 23 19 20 M.D.B.& M.	E 1/2 ALL E 1/2 ALL E 1/2	6 & 7 8 - 17 18 & 19 20 - 29 30 & 31	20 20 20 20 20 20	18 18 18 18	M.D.B.& M. M.D.B.& M. M.D.B.& M. M.D.B.& M. M.D.B.& M.
ALL 1 - 36 19 19 M.D.B.& M.  ALL 1 - 36 20 19 M.D.B.& M.  ALL 1 - 36 21 19 M.D.B.& M.  ALL 2 - 35 18 20 M.D.B.& M.  W1/2 36 18 20 M.D.B.& M.  ALL 1 - 12 19 20 M.D.B.& M.  ALL 1 - 12 19 20 M.D.B.& M.  ALL 14 - 23 19 20 M.D.B.& M.  ALL 14 - 23 19 20 M.D.B.& M.  ALL 26 - 35 19 20 M.D.B.& M.	E 1/2 ALL E 1/2 ALL E 1/2	6 & 7 8 - 17 18 & 19 20 - 29 30 & 31	21 21 21 21 21	18 18 18 18 18	M.D.B.& M. M.D.B.& M. M.D.B.& M. M.D.B.& M. M.D.B.& M.
ALL 1 - 36 21 19 M.D.B.& M.  ALL 2 - 35 18 20 M.D.B.& M.  W1/2 36 18 20 M.D.B.& M.  ALL 1 - 12 19 20 M.D.B.& M.  ALL 1 - 23 19 20 M.D.B.& M.  ALL 14 - 23 19 20 M.D.B.& M.  ALL 26 - 35 19 20 M.D.B.& M.					
ALL 2-35 18 20 M.D.B.& M. W1/2 36 18 20 M.D.B.& M. ALL 1-12 19 20 M.D.B.& M. ALL 14-23 19 20 M.D.B.& M. ALL 26-35 19 20 M.D.B.& M. ALL 26-35 19		•			
ALL 14 - 23 19 20 M.D.B.& M. ALL 26 - 35 19 20 M.D.B.& M.	ALL	2 - 35	18	20	
	ALL	14 - 23	19	20	M.D.B.& M.
ALL 1 - 36 20 20 M.D.B.& M. ALL 1 - 36 21 20 M.D.B.& M.					

#### EXHIBIT "A"

The following describes the multiple points of divesion for Sierra Pacific Power Company Water Treatment Plants, which are shown on the map accompanying Application No. 58882 on file with the State of Nevada, Division of Water Resources, more particularly described as follows:

## STEAMBOAT CANAL (HUNTER CREEK RESERVOIR):

The existing point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE1/4 SW1/4) of Section 31, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 31 bears South 62°04' East, a distance of 3,195.00 feet.

### HIGHLAND DITCH ( HIGHLAND RESERVOIR):

The existing point of diversion is situate within the Southwest one-quarter of the Southeast one-quarter (SW1/4 SE1/4) of Section 9, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 9 bears South 75°16' East, a distance of 1,650.00 feet.

#### IDLEWILD TREATMENT PLANT:

The existing point of diversion is situate within the Southeast one-quarter of the Southeast one-quarter (SE1/4 SE1/4) of Section 10, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 10 bears South 69°57'58" East, a distance of 842.34 feet.

#### NORTH TRUCKEE DITCH (GLENDALE TREATMENT PLANT):

The existing point of diversion is situate within the Southwest one-quarter of the Northeast one-quarter (SW1/4 NE1/4) of Section 7, T.19N., R.20E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Northeast corner of said Section 7 bears North 39°28' East, a distance of 3,015.00 feet.

#### ORR DITCH PUMP STATION (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southeast one-quarter (NE½SE½) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada from said point of diversion the Northeast corner of said Section 17 bears North 15°39'36" East, a distance of 3,264.77 feet.

#### ORR DITCH (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE½SW½) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada from said point of diversion the Southwest corner of said Section 17 bears South 44°40' West, a distance of 3,211.00 feet.

<b>DIVISION</b>	<u>SECTION</u>	<u>T-N</u>	<u>R-E</u>	
ALL	1 - 36	20	21	M.D.B.& M.
ALL	1 - 36	21	21	M.D.B.& M.

The above place of use is being proposed as a result of the passage of Senate Bill No. 489 by the Nevada State Legislature during the 1995 session. The proposed place of use represents a regional water service area for Sierra Pacific Power Company and Washoe County as specified under Section No.s 15, 32, 32.5, 33 and 33.5 of Senate Bill No. 489. The above describes the proposed place of use for Sierra Pacific Power Company, which is shown on the map accompanying Application No. 61742 on file with the State of Nevada, Division of Water Resources.

L:\WPDATA\WATER\SMPEXHA&B